







Pellet Air Plus

TECHNICAL DATA

Thermic Power (at min-at max)	kW	3,7 - 13,7
Introduced thermal power (at max)	kW	15,7
Seasonal energy efficiency	ηs [%]	83
Useful efficiency (at min-at max)	%	90,0 - 88,0
Heating surface (at min-at max)	m ²	39,1 - 144,6
CO ₂ (min-max)	%	5,0 - 11,1
Emissions CO (13% O ₂) (at min-at max)	mg/Nm ³	140 - 125
Emissions OGC (13%O ₂) (at min-at max)	mg/Nm ³	2 - 10
Emissions NOX (13% O ₂) (at min-at max)	mg/Nm ³	120 - 99
Dust content at 13% O ₂ (at min-at max)	mg/Nm ³	17 - 15
Combustible Pellet	mm	ø6 L3÷40
Hopper capacity	kg	23
Hourly consumption (at min-at max)	kg/h	0,90 - 3,33
Autonomy (at min-at max)	h	26 - 7
Supply and frequency	V-Hz	230-50
Ignition electrical absorption (at max)	W	360
Operating electrical absorption (at max)	W	155
Chimney flue depression (at min-at max)	Pa	2 - 11
Mass of smoke (at min-at max)	g/sec	5,7 - 10,0
Exhaust fumes temperature (at min-at max)	°C	107 - 230
Distance from material comb. (back/side/under)	mm	200 / 300 / 0
Distance to material comb. (front/top)	mm	1000 / 750
Exhaust fumes outlet (A)	Ø mm	80
Combustion air inlet (B)	Ø mm	60
Ducting outlet (C)	Ø mm	80
Ductable up to	m	8

PLUS

 Concentric flue kit (optional)	 Cast iron door	 Sealed Chamber
 Cast iron burning pot	 Cast iron inner	 Duction with 1 independent motor
 Comfort mode - Maximum silence	 Integrated Wi-Fi and Bluetooth	 Connection to the external therm.

AVAILABLE FINISHES

7023118		Majolica White	EAN 8053859019909
7023119		Majolica Ivory	EAN 8053859019916
7023120		Majolica Red Bordeaux	EAN 8053859019923
7023121		Steel White	EAN 8053859019930
7023122		Steel Ivory	EAN 8053859019947
7023123		Steel Titanium	EAN 8053859019954
7023124		Steel Red Bordeaux	EAN 8053859019961
7023125		Steel Anthracite	EAN 8053859019978

OPTIONAL

5020003	UPPER DUCTING KIT	EAN 8053859012573
5020004	UPPER CONCENTRIC KIT	EAN 8053859012580


CERTIFICATIONS

European standards
Art. 15A B-VG 2015
BlmSchV 2015
Regensburg
München
Stuttgart
Aachen

EN 14785:2006



STOVE PACKAGE



L (cm)	H (cm)	P (cm)
80	130	68
Volume (m ³)	0,71	
Gross weight (kg)	163	
Net weight (kg)	152	

STORAGE



N° (max)
1

TRANSPORT



60 pz