

Pellet Air

TECHNICAL DATA

Thermic Power (at min-at max)	kW	3,0 - 10,5
Introduced thermal power (at max)	kW	11,6
Seasonal energy efficiency	ηs [%]	86
Useful efficiency (at min-at max)	%	90,0 - 90,0
Heating surface (at min-at max)	m ²	31,1 - 108,9
CO ₂ (min-max)	%	6,3 - 11,3
Emissions CO (13% O ₂) (at min-at max)	mg/Nm ³	230 - 159
Emissions OGC (13%O ₂) (at min-at max)	mg/Nm ³	5 - 5
Emissions NOX (13% O ₂) (at min-at max)	mg/Nm ³	130 - 100
Dust content at 13% O ₂ (at min-at max)	mg/Nm ³	20 - 15
Combustible Pellet	mm	ø6 L3÷40
Hopper capacity	kg	25
Hourly consumption (at min-at max)	kg/h	0,70 - 2,50
Autonomy (at min-at max)	h	36 - 10
Supply and frequency	V-Hz	230-50
Ignition electrical absorption (at max)	W	340
Operating electrical absorption (at max)	W	110
Chimney flue depression (at min-at max)	Pa	2 - 12
Mass of smoke (at min-at max)	g/sec	4,0 - 8,0
Exhaust fumes temperature (at min-at max)	°C	114 - 210
Distance from material comb. (back/side/under)	mm	200 / 300 / 0
Distance to material comb. (front/top)	mm	1000 / 750
Exhaust fumes outlet (A)	Ø mm	80
Combustion air inlet (B)	Ø mm	50
Ducting outlet (C)	Ø mm	0
Ductable up to	m	0

PLUS

- Concentric flue kit (optional)
- Cast iron door
- Sealed Chamber
- Cast iron burning pot
- Cast iron inner
- Comfort mode - Maximum silence
- Integrated Wi-Fi and Bluetooth
- Connection to the external therm.
- Weekly programming

AVAILABLE FINISHES

7022080		Steel White	EAN 8053859015703
7022081		Steel Red Bordeaux	EAN 8053859015710
7022082		Steel Anthracite	EAN 8053859015727
7022083		Steel Light Bronze	EAN 8053859015734
7022084		Steel Titanium	EAN 8053859015741

OPTIONAL

5022002	UPPER EXHAUST + CONCENT KIT	EAN 8053859015543
---------	-----------------------------	-------------------


CERTIFICATIONS

European standards
Art. 15A B-VG 2015
BImSchV 2015
Regensburg
München
Stuttgart
Aachen

EN 14785:2006



STOVE PACKAGE



L (cm)	H (cm)	P (cm)
80	126	68
Volume (m ³)	0,69	
Gross weight (kg)	121	
Net weight (kg)	111	

STORAGE



N° (max)
1

TRANSPORT

